

Stainless Steel Cabinet Kit

Scope of Use/Specification Sheet

The RMC Stainless Steel Cabinet Kit is a lockable cabinet with 4-in-1 inlet fittings, which allows secure installation of tempering or thermostatic mixing valves.



Product Code

Model	Catalogue Number
Stainless Steel Cabinet Kit – ½" Fittings	MIX11167
Stainless Steel Cabinet Kit – ¾" Fittings	MIX11168

Materials

Cabinet	Stainless Steel
Fittings	Nickel-plated DZR Brass
Check Valves	Acetal
Strainer	Stainless Steel

Description

The RMC Stainless Steel Cabinet Kit includes 4-in-1 fittings, with either ½" or ¾" copper compression connections, to facilitate installation and maintenance. The 4-in-1 fittings include isolation, strainer, non-return, and test port functions.

Features and Benefits

- Lockable to prevent unwanted access
- Union fittings included for easy installation
- Integrated non-returns
- Includes isolation valves to facilitate servicing
- Strainer included to protect against dirt and debris
- Polished stainless steel finish

Application


The Stainless Steel Cabinet Kit is ideal for installation in public facilities. The lockable cabinet ensures access to the valve is restricted for greater security and safety.

Stainless Steel Cabinet Kit

Dimensions

Size	A	B	C	D	E	F	G	H
MIX11167 / MIX11168	320	300	204	180	85	127	75	220

Note: All measurements in mm unless otherwise stated.



Technical Specifications

Maximum supply pressure (4-in-1 fittings)	1600kPa
Maximum supply temperature (4-in-1 fittings)	90°C

Installation

Installation is subject to the requirements of the applicable regulatory authority, the National Construction Code Volume Three – Plumbing Code of Australia, associated reference standards as applicable at the time and AS/NZS 3500.1.