

WHY RWC WATER METERS?

Reliance Worldwide Corporation (RWC) supplies a range of water meters suitable for hot and cold water, domestic, commercial and industrial applications.

Our meters conform to Australian standards and are available in configurations suitable for each state in Australia.

We also supply water valves that conform to selected international standards. A range of automatic reading products and logging/monitoring products are available to compliment our water meter products.



RWC

YOUR GUIDE TO WATER METERS




Contents of this brochure are subject to change, please visit our website for most up-to-date product information.



Domestic



Commercial



Industrial

RWC

Solutions to Shape the World™

☎ 1800 810 803 ✉ sales@rmc.com.au

🌐 rmc.com.au 🖨 1800 062 669

27-28 Chapman Place,
Eagle Farm QLD 4009, Australia

RWC Reliance Worldwide Corporation (Aust.) Pty. Ltd.
ABN 71 004 784 301 | © July 2019

rmc.com.au

RWC WATER METERING PRODUCT RANGE

- Positive Displacement Meters
- Multijet Water Meters
- Octave Ultrasonic Meters
- Woltman Meters
- Hot Water Meters
- Sub Metering Kits
- Tapping Kits
- Ball Valves
- Tapping Bands
- Ferrule Cocks & Bends
- Meter Boxes
- Standpipes
- Reed Switches & Pulse Outputs

Positive Displacement Meter

Size	15-20mm
Pulse	1P / 5l
Max. Water Temp.	50°C
Max. Working Pressure	1600kPa
Approval	NMI Approved WaterMark Approved



Multijet Meter

Size	20-40mm
Pulse	1P / 10l
Max. Water Temp.	50°C
Max. Working Pressure	1400kPa
Approval	NMI Approved WaterMark Approved (20mm, 25mm only)



Octave Ultrasonic Meter

Size	50-300mm
Pulse	1P / 10l / 100l / 1000l
Max. Water Temp.	50°C
Max. Working Pressure	1600kPa
Approval	NMI Approved



Woltman Meter

Size	50-200mm
Pulse	1P / 10l / 100l / 1000l
Max. Water Temp.	60°C
Max. Working Pressure	1600kPa
Approval	NMI Approved




Sub Metering Kits

- 20mm
- Available in different configurations; Meter Thread - STD copper connection
NSW Thread - STD copper connection
- Also available in SharkBite® copper and PEX connections



Tapping Kits

- Rapid tap for 20-25mm tapping
- For pressure and dry taps
- Major tap for 32-50mm
- Watgas for 150mm tapping



Ball Valves

- Watermarked
- Long, straight or short handle
- Lockable, right angle configuration
- Stainless Steel option available



Tapping Bands

- WaterMark Approved (select types and sizes)
- AC/DI & PVC Pipe
- 3/4 - 2" BSP outlet



WATER METERS

All meters are pulse capable. Check with Water Authority before installation.



Polymer Positive Displacement Meter

WM151PD	15mm BSP Thd
WM211PD	20mm NSW Thd
WM212PD	20mm Meter Thd
WM213PD	20mm BSP Thd



Endurance Multijet

WM273MRP	20mm Meter Thd
WM274MRP	20mm NSW Thd
WM275MRP	20mm BSP Thd
WM281MRP	20mm BSP Thd – Lavender
WM270MRP	25mm NSW Thd
WM271MRP	25mm Meter Thd
WM272MRP	25mm BSP Thd
WM322MRP**	32mm Oval Flange (Single Check)
WM402MRP**	40mm Oval Flange
WM514MRP+	50mm 300mm (L)

Installation: Horizontal only
* Non-Trade use only
+ APPROVED UTILITY USE ONLY. NO WATERMARK.



Octave Ultrasonic

WM500OCT – POLY	50mm Ultrasonic
WM500OCTSS	50mm Ultrasonic
WM800OCTSS	80mm Ultrasonic
WM1000OCTSS	100mm Ultrasonic
WM1500OCTSS	150mm Ultrasonic
WM2000OCT	200mm Ultrasonic
WM2500OCT	250mm Ultrasonic
WM3000OCT	300mm Ultrasonic

SS: Stainless steel / dual pulse output included / flanged table D / polymer threaded version available in 50mm only
APPROVED UTILITY USE ONLY. NO WATERMARK.



Woltman – Industrial ISO Length

WM500WST	50mm Woltman	200mm (L)
WM650WST	65mm Woltman	200mm (L)
WM800WST	80mm Woltman	230mm (L)
WM1000WST	100mm Woltman	250mm (L)
WM1500WST	150mm Woltman	300mm (L)

APPROVED UTILITY USE ONLY. NO WATERMARK.
Flanged Table D



Woltman – Industrial Australian Length

WM501WST	50mm Woltman	311mm (L)
WM801WST	80mm Woltman	413mm (L)
WM1001WST	100mm Woltman	483mm (L)
WM1501WST	150mm Woltman	500mm (L)
WM2001WST	200mm Woltman	520mm (L)

APPROVED UTILITY USE ONLY. NO WATERMARK.
Flanged Table D

WATER METERS KITS



Recycled Water Kits

7255	M 5/8"
7260	M 5/8"
7265	F 5/8" (15mm x 150mm)
7270	F 5/8" (15mm x 300mm)
7275	F 5/8" (20mm x 150mm)
7280	F 5/8" (20mm x 300mm)
7281	Recycled Water Hose Bib Kit
12615	Lilac Key for Tap



Sub Metering Kits

KIT227EX	Bracket With Extendible Coupling
KIT227Q	Bracket QUU
KIT228	Kit – PEX
KIT229	Kit – SharkBite
KIT232	Kit – DN20 NSW
KIT233	Kit – DN20 NSW + Spacer



Water Meter Boxes

WM90	368L x 271W x 316D – c/w Black Lid
WMBOX200	492L x 271W x 220D – c/w Black Lid Large Shallow (Taper)
WMBOX202	430L x 270W x 220D – Low Profile
WMBOX203	430L x 270W x 275D – High Profile
WMBOX204	Lge. Rev Taper – c/w Green Lid, No Base
WMBOX206	Dradual 600/1
WMBOX209	Base to suit WMBOX204
KIT237	Assembled with MI Ends – 20mm BSP
KIT238	Assembled with PE Ends
WMLID	Lid – Galvanised Steel



Water Meter Kits

WMKIT211	20mm Thd c/w Couplings (MC208)
WMKIT211WA	20mm Thd c/w Couplings (MC202)
WMKIT211R	20mm Thd Recycled
WMKIT271	25mm Thd c/w Couplings (IN131)
WMKIT230	20mm PD Thd – c/w Couplings
WMKIT231	20mm PD NSW Thd – c/w Couplings
WMKIT272	25mm PD Thd – c/w Couplings
WMKIT273	25mm PD NSW Thd – c/w Couplings

METER DIRT BOXES



Meter Dirt Boxes

IN114	Flanged 50mm	200mm (L)
IN111	Flanged 80mm	225mm (L)
IN112	Flanged 100mm	250mm (L)
IN113	Flanged 150mm	300mm (L)

APPROVED UTILITY USE ONLY. NO WATERMARK.
Flanged Table D

BALL VALVES & COUPLINGS



Water Service Ball Valves

BVLH75FF*	Long Handle 20mm F x 20mm F
BVLH75MF*	Long Handle 20mm M x 20mm F
BVLH25MF*	Long Handle 25mm M x 25mm F
BVSH75MF	Short Handle Straight DN20 (Not Lockable)

* Lockable in either open or closed position



Water Service Ball Valves – Recycle

BVLH75MF-R	Long Handle 20mm
BVLH25MF-R	Long Handle 25mm
RB9020FF-R	90° 20mm F x 20mm F

Lockable in either open or closed position



Water Service Ball Valves

RB9020FF	20mm F x 20mm F
RB9020FM	20mm F x 20mm M
RB9020CF	20mm C x 20mm F
RB9020FF-SS	20mm F x 20mm F
RB900*	20mm C x NSW
RB902*	20mm F x NSW
RB9025FF	25mm F x 25mm F
JB250*	25mm F x 25mm NSW
JB251*	25mm F x 25mm


Lockable in either open or closed position
* Meter Coupling



Meter Flange, Seal and Bolt Kits

IN148*	Oval Flange Kit 32mm
IN149*	Oval Flange Kit 40mm
IN154**	Round Flange Kit 50mm
IN155**	Round Flange Kit 80mm

* Oval Flange Kits contain 1 Flange, 1 Seal, and 2 Bolt.
** Round Flange Kits contain 1 Flange, 1 Seal, and Bolts (to suit Table D)



Meter Couplings

MC150	BSP 15mm M	MC250	BSP 25mm M
MC207	NSW 20mm F	MC215	NSW 20mm F Ext
MC206	NSW 20mm F Short	MC216**	20mm F Ext
MC201	NSW 20mm M	IN131**	25mm M
MC208**	20mm M	IN141	NSW 25mm M
MC204**	BSP 20mm M	IN142	NSW 25mm F
MC202	WA 20mm M Long	MC400	BSP 40mm M

** Additional Gaskets may be purchased separately

WATER MAINS ACCESSORIES



SURESEAL Tapping Bands Series 1 White PVC Pipe

12012*	50mm x 25mm	12063*	150mm x 32mm
12014*	63mm x 20mm Poly	12064*	150mm x 40mm
12015*	63mm x 25mm Poly	12065*	150mm x 50mm
12031*	80mm x 20mm	12086	200mm x 20mm
12032*	80mm x 25mm	12087	200mm x 25mm
12034*	80mm x 40mm	12089	200mm x 40mm
12035*	80mm x 50mm	12090**	200mm x 50mm
12041*	100mm x 20mm	12091	225mm x 20mm
12042*	100mm x 25mm	12092	225mm x 25mm
12043*	100mm x 32mm	12101	250mm x 20mm
12044*	100mm x 40mm	12102	250mm x 25mm
12045*	100mm x 50mm	12105**	250mm x 50mm
12061*	150mm x 20mm	12121	300mm x 20mm
12062*	150mm x 25mm	12122	300mm x 25mm
		12125**	300mm x 50mm

White PVC Pipe Series 1 – Full Circle Model.
* Standard with s/s bolts. Insulation may be required for Bi-Metallic contact.
** Use reducing bushes to accommodate any smaller off take.



SURESEAL Tapping Bands Series 2 Ac & Compatible Pipe

12137*	58mm x 20mm	12185*	200mm x 50mm
12138*	58mm x 25mm	12191	225mm x 20mm
12141*	80mm x 20mm	12192	225mm x 25mm
12142*	80mm x 25mm	12195	225mm x 50mm
12145*	80mm x 50mm	12201	250mm x 20mm
12151*	100mm x 20mm	12202	250mm x 25mm
12152*	100mm x 25mm	12205	250mm x 50mm
12153*	100mm x 32mm	12221	300CD x 20mm
12154*	100mm x 40mm	12222	300CD x 25mm
12155*	100mm x 50mm	12225	300CD x 50mm
12171*	150mm x 20mm	12231*	375mm x 20mm
12172*	150mm x 25mm	12232*	375mm x 25mm
12173*	150mm x 32mm	12235*	375mm x 50mm
12174*	150mm x 40mm	12245*	450mm x 50mm
12175*	150mm x 50mm	12255*	500mm x 50mm
12181*	200mm x 20mm	12275*	600mm x 50mm
12182*	200mm x 25mm		

* Standard with s/s bolts. Insulation may be required for Bi-Metallic contact.
** APPROVED UTILITY USE ONLY. NO WATERMARK.



Ferrule Cocks

11301	20mm Standard	11012	25mm Bonnet
11302	25mm Standard	11013	32mm Bonnet
11303	32mm Standard	11014	40mm Bonnet
11304	40mm Standard	11015	50mm Bonnet
11305	50mm Standard	11021	20mm x 25mm Capped Poly
11001	20mm Capped	11022	25mm x 32mm Capped Poly
11002	25mm Capped	11081	20mm x 25mm Bonnet Poly
11003	32mm Capped	11082	25mm x 32mm Bonnet Poly
11004	40mm Capped		
11005	50mm Capped		
11011	20mm Bonnet		

Outlet connection to suit Ferrule Bends only



Ferrule Bends

17002	20mm Capillary Copper
17003	25mm Capillary Copper
11041	20mm Compression
11042	25mm Compression
11043	32mm Compression
11044	40mm Compression
11045	50mm Compression
11051	20mm Male BSP
11052	25mm Male BSP
11053	32mm Male BSP
11054	40mm Male BSP
11055	50mm Male BSP
11062	25mm Male BSP

STANDPIPES



Standpipes – Metered

WM264MSP	25mm BSP Thread
WM257MSPTAP	25mm Stand Pipe w/ 20mm Tap
WM326MSP	32mm BSP Thread (high flow)
WM654MSP	65mm BSP Thread
WM656MSPCFA	65mm CFA Thread
WM657MSPQLD	65mm QLD Round Thread
WM658MSPNSW	65mm NSW Thread

Servicing available



SURESEAL Tapping Bands Maintenance Type

12342	80mm x 25mm	12375*	150mm x 50mm
12351	100mm x 20mm	12392	225mm x 25mm
12352	100mm x 25mm	12395*	225mm x 50mm
12355	100mm x 50mm	12397	300mm x 25mm
12371	150mm x 20mm	12400*	300mm x 50mm
12372	150mm x 25mm		

APPROVED UTILITY USE ONLY. NO WATERMARK.
* Use reducing bushes to accommodate smaller off takes. Tapping Saddle Maintenance Type for use on AC or oversize AC pipe.
Designed with 50mm wide flexible band to better accommodate pipe size and shape variations.



SURESEAL Coated Tapping Bands

12501	100mm x 20mm
12502	100mm x 25mm
12506	150mm x 20mm
12507	150mm x 25mm

Standard with s/s bolts. Insulation may be required for Bi-Metallic contact.



Ferrule Bonnet Assemblies

11691	20mm Ferrule Bonnet Assembly
11692	25mm Ferrule Bonnet Assembly
11693	32mm Ferrule Bonnet Assembly
11694	40mm Ferrule Bonnet Assembly
11695	50mm Ferrule Bonnet Assembly



Tapping Kits

10010	Rapid Tap Main Tapping Kit 20-25mm
10500	Major Tapping Kit 40-50mm
10700	WATGAS Boring Machine

Servicing and spare parts available



Standpipes – Non-Metered

FS3021	65mm CFA
FS3027	65mm FBT
FS3036	65mm QRT
FS3040	65mm Storz

Servicing available

REED SWITCH & PULSE OUTPUTS



Remote Digital Display

WMPC2	Flexi-Reader Pulse Counter
WMPC4	Battery Holder



Optical Encoder

WMRS1	Optical Encoder Polymer PD
-------	----------------------------

* Optical encoder fits to Polymer Positive Displacement Meter. Meter supplied separately.



Cold Water Meters