

## Class 1 Tempering Valves

### Building Product Information Requirements (BPIR)

**Product Line:** RMC tempering valves

**Product Identifier(s):**

MIX11118I, HTV15, HTV20, MIX12018, HTV15S, HTV20S, MIX12019, MIX20, MIX11009I, MIX11124, MIX12012, MIXF11009I, MIXRA11009I, MIX20U, MIX11012I, MIXSB16, MIX11125, MIXF11012I, MIXSB20U, MIX11116I, MIX11117I, MIX11129, MIX11130, MIX12014, MIXF11116I, MIXRA11116I, MIX11511, MIX11009BW, MIXSB16U, MIX11014D, MIX11014U, MIX11013D, MIX11013U, WM12TMV, RYEMIX15, RYEMIX15U, RYEMIX20, RYEMIX20U, HTV15R, MIX15, SHIELD-15, SHIELD-20, MIXSB20, MIX15U, 7064, 8061, SHIELD-15S, SHIELD-20S, MIX110030, MIX110020, MIX110035, MIX110025, MIX15U-S

**Product Description:**

DN15-DN20 tempering valves for use with water heaters.

**Relevant building code clauses:**


B2 Durability —	B2.3.1 (a)
F2 Hazardous building materials —	F2.3.1
G10 Piped services —	G10.3.1
G12 Water Supplies —	G12.3.2, G12.3.7
H1 Energy efficiency —	H1.3.3

**Contributions to compliance:**

All items listed under Product Identifier(s) are approved to AS 4032.2-2005. WaterMark licence number 001593.

**Scope of use:**

The RMC Tempering Valve is a safety/protection device for use with water heaters to deliver heated water to a preset maximum of 50°C. It



provides protection against the risk of scalding at points of heated water delivery intended for personal hygiene use.

**Conditions of use:**

RMC tempering valves must be installed by a suitably qualified person according to the rules of AS/NZS 3500.4.

**Supporting Documentation:**

Title (Type)	Version / Date	URL
HeatGuard Tempering Valves	N/A	<a href="#">Click Here</a>
HeatGuard SharkBite 4-in-1 Tempering Valves	N/A	<a href="#">Click Here</a>
HeatGuard SharkBite Tempering Valves	N/A	<a href="#">Click Here</a>

## Contact Details:

<b>Manufacture Location:</b>	<b>Overseas</b>
<b>Legal and trading name of Manufacturer:</b>	Reliance Worldwide Corporation (AUST.) Pty. Ltd.
<b>Manufacturer address for service:</b>	27 – 28 Chapman Place, Eagle Farm, QLD 4009 Australia
<b>Manufacturer website:</b>	www.rmc.com.au
<b>Manufacturer NZBN:</b>	
<b>Manufacturer email:</b>	sales.au@rwc.com
<b>Manufacturer phone number:</b>	+61 07 3018 3400

<b>Importer Location:</b>	<b>New Zealand</b>
<b>Legal and trading name of Importer:</b>	Reliance Worldwide Corporation (NZ). Pty. Ltd.
<b>Importer address for service:</b>	81 Apollo Drive, Rosedale, Auckland 0632
<b>Importer website:</b>	www.relianceworldwide.co.nz
<b>Importer NZBN:</b>	9429000011358
<b>Importer email:</b>	sales.nz@rwc.com
<b>Importer phone number:</b>	0800 800 523

## Warnings and Bans:

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

**No**

**Version:** 1.0

**Date:** 2/11/2023

Reliance Worldwide Corporation (New Zealand) Pty. Ltd. reserves the right to change any product specification or information contained in this publication at any time and without notice. All diagrams are illustrative only. Please consult OEM instructions and AS/NZS 3500 for all installations.